



FM SURFACE

Tune into the optimal light frequency.

FM SURFACE



FM SURFACE

SPECIFICATIONS

Ø160mm x H200
1 x E27 lamp holder
Mounting: Fitting fixes to ceiling with supplied bracket.
Ø130mm surface footprint.


CONTACT

Artefact Industries Pty Ltd
T: +61 3 7018 3517
hello@artefactindustries.com

LEAD TIME ESTIMATE

3-4 weeks*

*Lead times are dependent on
finish and order quantity



FM-136



FM-137



FM-138



FM-139

CODE

PRODUCT DESCRIPTION

FM-136	MANNEX BLACK POWDER COAT FINISH
FM-137	MANNEX WHITE POWDER COAT FINISH
FM-138	CHARCOAL ANODISED
FM-139	RACING GREEN ANODISED

LIGHT GLOBE OPTION

GLO-107	PAR30 STANDARD, VERBATIM LED, E27, 13W, 2700K, 800LM, 35 DEG, 25,000 HOURS, UNIVERSAL DIM
GLO-108	PAR30 PREMIUM, SORRA LED, 18.5W, 3000K, 95CRI, 1000LM, 60DEG, 35,000 HOURS
GLO-111	PAR30 PREMIUM, SORRA LED, SNAP ON LOUVRE 40° CUT-OFF

CARE / FM looks best when dusted regularly. For fingerprints and marks use a damp, soft cloth (microfibre recommended). For anything more serious, try a damp cloth with mild detergent. Do not use solvents of any kind. Replacement light globes can be purchased from Artefact Industries. Contact Artefact to discuss any repairs or part replacements.